

Vector 1a			Vector 1b	
0.01	0.01		0.02	0.02
1.45	1.45		0.17	0.17
0	0		0.18	0.18
0	0		0	0
0	0		0	0
0	0		0.33	0.33
0	0		0	0
0	0.21		0.25	0.25
0	0		0	-0.0
0	0		0	0
0	0		0	-0.0
0	0		0.00	0.0
0	0		0	0
0	0		0	0
0	0		0	0
0.04	0		0	0
0	0		0	0
0	0.32		0	0
0	0		0	0
0	0		0	0
0	0		0	0
0	0		0	0
0	0		0	0
0	0		0	0

Figure 1

Vector 2a		Vector 2b	
0.00	0.00	0.02	0.01
0	0	0	0
0	0	0.25	0.25
0	0	0	0
0	0	0	0
3.29	3.29	0.46	0.46
0	0	0.57	0.57
0	0	0	0
0	0	0	-0.0
0	0	0	0
0	0	0.00	0.0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	-0.2	0.44	0.44
0	0	0	0
0.5	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

Figure 2

[illegible]

١٠

TOP SECRET

4/9




Figure 4

5/9




Figure 5




Figure 6

1. Conflict	Euclidean Distance		Jaccard Association			7. Jaccard's coefficient
	2. Retrain set example	3. Knowledge set example	4. Euclidean distance	5. Retrain set example	6. Knowledge set example	
1.1	10	32	0.000005	10	0	0
1.2	12	31	0.00004	12	0	0
1.3	17	420	0.000002	17	61	1
1.4	21	45	0.000002	21	41	1

Figure 7

Figure 8

Figure 9

Figure 9